MATADOR NG

Flat and satchel bag machine



For over 100 years, the machines in the **MATADOR** series have been considered a synonym for high-quality mechanical engineering.



Generations of designers – initially at Windmöller & Hölscher, since 1998 at GARANT – have continuously developed these machines and have adapted them to market requirements.

Today, the MATADOR NG can be equipped with various additional devices and therefore used both for the production of conventional flat and side gusset bags and for complex window or panoramic bags.

A high level of innovation, the use of numerous servodrives and the formula management and automation provide increased efficiency and make economic and competitive bag production possible.

Format ranges for the MATADOR NG

Bag width	2.36 – 14.96 inch	60 – 380 mm
Cut-off length	6.30 – 29.92 inch	160 – 760 mm
Max. side gusset (open)	5.51 inch	140 mm

Optional additional devices

Window unit



SERVO window die cut unit



Envelop device



Electro-pneumatic punching unit



Inline printer LINAFLEX NL



SERVO grip hole punching unit with reinforcement patch



Micro-perforation



Status: November 2026

Format ranges for all MATADOR models

		MATASIM	MATADOR NG	MATADOR NSL	MATADOR NXB	MATADOR e.BAG	MATADOR e.BAG No Waste
Bag width	[mm]	60–280	60–380	60–510	60–510	60–510	60–510
Cut-off length	[mm]	105–560	160–760	105–400	160–760	300–700*	300–760
Max. side gusset (open)	[mm]	140	140	140	140	180	180
Production method		Single-web	Single-web	Single/dual-web	Single/dual-web	Single-web	Single-web

		MATASIM	MATADOR NG	MATADOR NSL	MATADOR NXB	MATADOR e.BAG	MATADOR e.BAG No Waste
Bag width	[inch]	2.36–11.02	2.36–14.96	2.36–20.08	2.36–20.08	2.36–20.08	2.36–20.08
Cut-off length	[inch]	4.13–22.05	6.30–29.92	4.13–15.75	6.30–29.92	11.81–27.56*	11.81–29.92
Max. side gusset (open)	[inch]	5.51	5.51	5.51	5.51	7.09	7.09
Production method		Single-web	Single-web	Single/dual-web	Single/dual-web	Single-web	Single-web

*bag length incl. flap

The specified format ranges define the mechanical limits of the machine. The achievable formats depend on the specific application.

Garant Maschinenhandel GmbH
Gewerbepark Antrup 17 · 49525 Lengerich · Germany · Phone: +49 5481 809-0 · Fax: +49 5481 809-8109
info@garant-maschinen.de · www.garant-maschinen.de